

# Certificate of Analysis



Client:  
**Polaris Peptides**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Verify at [TrustPointeLIMS.com](https://TrustPointeLIMS.com)  
Key=TMB0U00BF8B4

## Sample Information

<b>Sample Name</b>	CJC1295/Ipamorelin 5mg/5mg, 3 vials, RUSH	<b>Client SID</b>	POL- CI-2	<b>Published</b>	2025-10-15 09:20
--------------------	-------------------------------------------	-------------------	-----------	------------------	------------------

## Results

Sample ID	SPL-2028-S02	SPL-2028-S01	SPL-2028
TM-1007 CJC/Ipam Blend Purity	99.690 %	99.688 %	99.681 %
TM-1007 Ipamorelin Assay	5.470 mg	5.550 mg	5.691 mg
TM-1007 Ipamorelin ID by RT	1.00	1.00	1.00
TM-1007 Ipamorelin ID by Spectral	997	996	995
TM-1007 CJC-1295 Assay	5.033 mg	5.122 mg	5.317 mg
TM-1007 CJC-1295 ID by RT	1.00	1.00	1.00
TM-1007 CJC-1295 ID by Spectral	1000	1000	1000
TM-1007 CJC-1295 Coelution Control	996	995	994
TM-1007 CJC-1295 System Suit	0.4 %RSD	0.4 %RSD	0.4 %RSD
TM-1007 Ipamorelin Coelution Control	994	994	993
TM-1007 Ipamorelin System Suit	0.1 %RSD	0.1 %RSD	0.1 %RSD

## Approvals

Created by



**Ashlee Lust**  
President

Reviewed by



**Joshua Lust**  
Managing Director

## Attachments for SPL-2028



Attachment for SPL-2028  
Filename: SPL-2028.png