

Certificate of Analysis



Client:
Montana Peptide Private Testing

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=Q5QLMRCJFJJL

Sample Information

Sample Name	Retatrutide 24mg, 4 vials + VAC	Client SID	NXP-3P2405072026-01	Published	2026-05-27 12:41
--------------------	---------------------------------	-------------------	---------------------	------------------	------------------

Results

Sample IDs	SPL-3882	SPL-3882-S01	SPL-3882-S02	SPL-3882-S03
TM-1004 Assay	28.915 mg	29.258 mg	29.700 mg	29.321 mg
TM-1004 Purity	99.878 %	99.877 %	99.875 %	99.879 %
TM-1004 ID by RT	0.99	1.00	0.99	0.99
TM-1004 ID by Spectral	1000	1000	1000	1000
TM-1004 Coelution	1000	1000	1000	1000
TM-1004 System Suit	0.3 %RSD	0.3 %RSD	0.3 %RSD	0.3 %RSD
Syringe Vacuum Test	Vacuum Present - Pass	Vacuum Present - Pass	Vacuum Present - Pass	Vacuum Present - Pass


Approvals

Created by



Ashlee Lust
President

Reviewed by



Joshua Lust
Managing Director

Attachments for SPL-3882



Attachment for SPL-3882
Filename: SPL-3882.png