

# Certificate of Analysis



Client:  
**Polaris Peptides**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Verify at [TrustPointeLIMS.com](https://TrustPointeLIMS.com)  
Key=6DDDDDEX2D994

## Sample Information

<b>Sample Name</b>	Tirzepatide 30mg, 2 vials (RUSH)	<b>Client SID</b>	POL-T30-15	<b>Published</b>	2025-07-29 11:15
--------------------	----------------------------------	-------------------	------------	------------------	------------------

## Results

Sample ID	SPL-1454-S01	SPL-1454
TM-1001 Tirzepatide Assay	36.714 mg	36.861 mg
TM-1001 Tirzepatide Purity	99.730 %	99.721 %
TM-1001 Tirzepatide ID by RT	1.00	1.00
TM-1001 Tirzepatide ID by Spectral	999	999
TM-1001 Coelution Control	999	999
TM-1001 System Suitability	0.4 %RSD	0.4 %RSD

## Approvals


Created by

**Ashlee Lust**  
President

Reviewed by

**Joshua Lust**  
Managing Director

## Attachments for SPL-1454



Attachment for SPL-1454  
Filename: SPL-1454.png