

# Certificate of Analysis



Client:  
**Polaris Peptides**

Laboratory:  
**TrustPointe Analytics LLC**  
1743 142nd Ave Suite 4  
Dorr, MI 49323



Verify at [TrustPointeLIMS.com](https://TrustPointeLIMS.com)  
Key=NGUSYD1W6415

## Sample Information

**Sample Name** Semaglutide 20mg, 3 vials **Client SID** POL-S20-4 **Published** 2025-09-05 20:18

## Results

Sample ID	SPL-1697-S02	SPL-1697-S01	SPL-1697
TM-1002 Semaglutide Assay	28.418 mg	28.222 mg	28.404 mg
TM-1002 Semaglutide Purity	99.852 %	99.865 %	99.919 %
TM-1002 Semaglutide ID by RT	1.00	1.00	1.00
TM-1002 Semaglutide ID by Spectral	1000	1000	1000
TM-1002 Coelution Control	1000	1000	1000
TM-1002 System Suit	1.3 %RSD	1.3 %RSD	1.3 %RSD

## Comments for SPL-1697

### General

All samples are hyper potent (142.02%LC, 141.11%LC, and 142.09%LC)

## Approvals

Created by

**Ashlee Lust**  
President

Reviewed by

**Joshua Lust**  
Managing Director

## Attachments for SPL-1697



Attachment for SPL-1697

Filename: SPL-1697.jpg