

Certificate of Analysis



Client:
Polaris Peptides

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=8B7MWLWNFRPL

Sample Information

Sample Name Retatrutide 5mg, 3 vials, RUSH **Client SID** POL-R5-4 **Published** 2026-01-07 09:36

Results

Sample IDs	SPL-2748-S02	SPL-2748-S01	SPL-2748
TM-1004 Assay	6.258 mg	5.650 mg	0.000 mg
TM-1004 Purity	98.392 %	87.277 %	0.000 %
TM-1004 ID by RT	1.00	1.00	
TM-1004 ID by Spectral	1000	1000	
TM-1004 Coelution	1000	1000	
TM-1004 System Suit	0.9 %RSD	0.9 %RSD	0.9 %RSD

Comments for SPL-2748

General

SPL-2748: No peak present at expected retention time of Retatrutide. Sample does NOT contain Retatrutide. Large atypical peak present at 2.254min. Sample was reshaken and reinjected, original results were confirmed.

SPL-2748-S01: Atypical large peak present at 2.319min (12.284%). Sample was reinjected, original results were confirmed.

SPL-2748-S02: Large peak present at 2.197min (1.362%)

Approvals

Created by



Ashlee Lust
President

Reviewed by



Joshua Lust
Managing Director

Attachments for SPL-2748



Attachment for SPL-2748
Filename: SPL-2748.png