

Certificate of Analysis



Client:
Polaris Peptides

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=LCTNBFRH66X6

Sample Information

Sample Name	CJC-1295 (no DAC) 10mg, 3 vials	Client SID	POL-CJC10-5	Published	2026-02-04 06:51
--------------------	---------------------------------	-------------------	-------------	------------------	------------------

Results

Sample IDs	SPL-2922	SPL-2922-S01	SPL-2922-S02
TM-1007 CJC-1295 Assay	11.814 mg	11.928 mg	11.324 mg
TM-1007 CJC-1295 ID by RT	1.00	1.00	1.00
TM-1007 CJC-1295 ID by Spectral	999	999	999
TM-1007 CJC-1295 Purity	99.994 %	99.998 %	99.997 %
TM-1007 CJC-1295 Coelution Control	992	992	993
TM-1007 CJC-1295 System Suit	0.2 %RSD	0.2 %RSD	0.2 %RSD

Approvals


Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

Attachments for SPL-2922



Attachment for SPL-2922
Filename: SPL-2922.png

