

Certificate of Analysis



Client:
Orbitrex Peptides

Laboratory:
TrustPointe Analytics LLC
1743 142nd Ave Suite 4
Dorr, MI 49323



Verify at TrustPointeLIMS.com
Key=ZBL4TIX9400B

Sample Information

Sample Name	Retatrutide 36mg, 3 vials	Client SID	3G3691525	Published	2025-09-22 14:34
--------------------	---------------------------	-------------------	-----------	------------------	------------------

Results

Sample ID	SPL-1793-R01-S02	SPL-1793-R01-S01	SPL-1793-R01
TM-1004 Retatrutide Assay	44.064 mg	43.909 mg	43.740 mg
TM-1004 Retatrutide Purity	99.055 %	98.960 %	99.345 %
TM-1004 Retatrutide ID by RT	0.99	1.00	1.00
TM-1004 Retatrutide ID by Spectral	1000	1000	1000
TM-1004 Coelution	1000	1000	1000
TM-1004 System Suit	1.2 %RSD	1.2 %RSD	1.2 %RSD

Approvals


Created by

Ashlee Lust
President

Reviewed by

Joshua Lust
Managing Director

Attachments for SPL-1793-R01



Attachment for SPL-1793-R01

Filename: SPL-1793.png